

Hebei Xusen Metal Wire Mesh Products Co.,Ltd
Add: No.18 Nanzhangwo Industrial Park ,Anping
County,Hengshui city,Hebei,China
Foshan office: No.4 B2 block,decoration materials market 2,
Fengchi,Dali,Foshan,Guangdong
Tel : 0086-318-8016958
Mali: admin@xusenwiremesh.com
Web: <http://www.chinawindowscreen.com>

SENRISE 旭森
— INNOVATION WISDOM TO CREATE THE FUTURE —

◆ SENRISE WINDOW SCREEN



CONTENTS

ABOUT SENRISE	- 01
DEVELOPMENT HISTORY	- 02
MARKET EXPECTATION	- 04
PRODUCT DESCRIPTION	- 05
PRODUCTS DIFFERENCE	- 15
COMPANY ADVANTAGE	- 21
STRATEGIC PARTNER	- 22
PREVIOUS EXHIBITION	- 23
STAFF PRESENCE	- 26

BRIEF INTRODUCTION

Hebei Xusen Metal Wire Mesh Products Co., Ltd. Was established in 1998, covers an area over 100,000 square meters, unit size 56,000 square meters, more than 600 employees. Xusen company head office is located in the largest wire mesh production base, anping county, the world famous hometown of wire mesh. Since the found of the company, based on the global perspective, we do the precisely design of our strategy planning, market positionning and the products positionning, devote ourselves to be the modernized and mid-to high-end screen and screen window enterprise which combines the marketing, manufacture, research customized, service and logistics. Devotes in making medium and high brand of screen and screen windows. Now we already are the screen and screen window professional manufacture and the customized manufacture.

At present, our main products contain two series: metal window screen series and non-metal window screen series. The metal window screen series contain: stainless steel security window screen/security window screen(blue light anti-fake insured), stainless steel window screen, aluminum alloy window screen, low carbon steel window screen etc. Non-metal window screen series(fiberglass, polythene, terylene,nylona and so on). The blue light anti-fake insured security window screen is our pioneering products in our field. Adopted multinomial high-tech technologies, filled gaps in domestic market.

Our company owns dozens of international advanced automatic production lines, with departments like marketing and planning center, products manufacturing center, products research and development center, product quality control center, human resource management center, logistics dispatch center and other professional organizations. Now our xusen brand insect screen products sales network have covered more than 20 provinces. Our products are also popular in Europe, America, Southeast Asia, more than 20 countries and religions, enjoy high reputation from our customers and consumers.



DEVELOPMENT HISTORY

- | | |
|---|---|
| ◆ 1998
Hebei Xusen Window Screen Factory was founded in Anping county | ◆ 2011
Oversea trade department was established in Hengshui city. |
| ◆ 2001
Hebei Xusen Metal Wire Mesh Products Co., Ltd. Was established in Anping county. | ◆ 2013
Expand 100,000 square meters new plant. |
| ◆ 2006
Anping County Xusen Wire Mesh Factory was established | ◆ 2015
Foshan warehouse & sales office was established |
| ◆ 2008
Established wire-drawing, galvanizing factory | ◆ 2016
Our patented product(the blue light anti-fake insured security window screen) come into the market |
| ◆ 2009
Adopted automatic security window screen spray-paint equipment. | ◆ 2017
Invite Mr. Yu Rong Guang(a famous film star) to do advertisement for our products. |
| ◆ 2010
Powder coated factory was established in Anping County | |

+ ENTERPRISE CULTURE

+ Enterprise Vision

To make a century company, To produce world-class competitive products.
To make China's largest furnishing industry trading platform.

+ Core Values

Continuous innovation. Dedication to client's success.
Pursue success

+ Management Idea

To become the pride of every user

+ Enterprise Spirit

Endeavor. Be perfect

Image Speaker
Film star Yu Rong Guang



MARKET ANALYSIS +

● Market situation

With the unceasing expansion of economic construction and the escalation of people's living standard, people's demand for security protection has become increasing evident. Especially in recent years, the buildings rise high, security not in place lead to frequent incidents of child falls. people start to reflect the safety factor of the window. At the same time, the social mobility of population increased greatly lead to more complicated social structure and social security. Therefor, people may pay more and more attention to the safety of family life and property.

● Traditional malady

Traditional fence in the actual use of the home defense system exposed many hidden dangers and does not comply with fire regulations. The state issued "ban on the installation of anti-theft fence in residential areas"said that the security fence brings a lot of negative problems. For example, city appearance, escaping from fire, providing conditions for criminals to climb etc. Therefore, home security must have a new systematic method.

● Consumption level

According to the world's leading financial media "Forbes" released "2016 China's affluent public wealth white paper" display: by the end of 2015, China's total private investable asset is about 106 trillion and 200 billion yuan(RMB), the annual growth is 12.8%. It is expected to reach 114 trillion and 500 billion yuan by the end of 2016. By the end of 2015, the number of Chinese rich people reached 13 million 880 thousand, the increase rate is 15.9%, that is to say, the number is expected to reach 15 million 280 thousand by the end of 2016. The increasing consumption level provide people a possibility to pursue a more secure way.

● The advantage of the security window screen

The emergence of the stainless steel security window screen just meet the current market demands. This product is available to meet a considerable part of customers to install a product which can achieve the anti-theft and anti-mosquito requirements. It is the representative of modern high-end home security products. As the raw material of security screen window, the stainless steel window screen also shows a high market demand, so the future prospects are unlimited

STAINLESS STEEL SECURITY WINDOW SCREEN

Basic Introduction:

Stainless steel security window screen is also called anti-theft mesh, security mesh, anti-bullet mesh, it is one of Hebei Xusen Company's flagship product. This product adopts high quality stainless wire to plain weave through advanced CNC machine, then cutting, leveling and surface scaling passivation, electrostatic powder spraying. The net surface is flat, the mesh is uniform, the longitude and latitude bending is consistent, the light transmittance is good. Anti-mosquito, anti-theft, anti-bullet. It is the first choice for home and office security protection.

As the product is mostly used to manufacture doors and windows, it is also called metal security door and window screen.

Main Parameters:

Material: stainless steel wire 304, 304L, 316, 316L
Mesh size: 10X10 11x11 12X12
Wire diameter: 0.4mm-1.6mm
Width: 0.5m-1.6m
Length: 2m-31.5m(customizable)

Features:

Mesh surface is hard and flat, mesh uniform, strong impact resistance, electrostatic powder spraying, anti-aging, corrosion proof, fire-retardant, anti-theft

Remark:free with all customers with material testing or testing potion to identify its authenticity.If find one false, compensate ten

PRODUCTION EQUIPMENT AND PROCESSES




1. Wire Drawing:

Our products adopt the international standard stainless wire, it has the advantage of acid and alkaline resistance, corrosion resistance, aging resistance, no magnetism, long service life and so on



2. Wire Testing:

Strictly control the soft and hard wire, thick and thin wire to ensure that each of the wire's mellow degree and material





3. Wire Collating:

Preparation before weaving



4. Weaving:
Using German heavy type weaving machine, plain weave make the net flat and the hole size uniformity.



5. Levelling And Cutting:
The net flat and easy to install.

6. Pre- Treatment And Electrostatic Powder Coating
Our company invest 4million RMB and install one high-tech full-automatic Powder Coating Production line, our quality reach the International Quality Standard.



PRODUCTS LABORATORY +



**SUCTION FORCE
TESTER**



XRF

**TENSILE
TESTER**



**SALT SPRAY
TEST MACHINE**




High-end coating equipment as follows :

Hang the goods-----High pressure degreasing spray treatment-----High pressure spray passivation-----Pure water high pressure spray-----Product pre drying-----Infrared heating-----USA Imported spray gun spray(AkzoNobel Powder)-----The goods into the 140m length 200 degree Curing oven-----Quality check and packing.

With such procedure, our product have the characteristics: net flat, no rust,Uniform spray, Strong adsorption capacity, our quality can reach the International Standard and Heat resistant, Acid-smoke test, we can make high quality stainless steel security window screen and other have high demands of powder coating products.

SITUATION INDUSTRY ANALYSIS



With the development of people's living standard, self health, safety consciousness and realized that importance of Security Window screen have the characteristic of mosquito proof, safety and enviromental, more and more people choose the security window screen instead of the normal window screen. A lot of factory established and more and more new style, good function of product are produced. Clients accept and preferred these products, the market is very very big.




With the blooming of security window screen, the increasing competition. Some factories use low quality material such as 201,202,Iron wire to lower the cost, and cheat the clients. These products maybe cause rust or other quality problem, so Hebei Xusen worried about the future of security window screen.




With 21 months efforts, our technical team solve this problem perfectly. We produced the Blue Ray Anti Fake, Anti Rust, Anti burglar series products. Our quality is guaranteed by PICC, and make the Formal Insurance on 13th,Nov, 2015. Hebei Xusen and PICC guarantee that, If our products have quality problem within the guarantee period, we pay; If any body gets hurt caused by our products quality, we pay.

New product, new market. We believe that, quality make the brands, and loyalty service the clients.
We hope we can cooperate together.


BLUE RAY ANTI FAKE INSURANCE SERIES STAINLESS STEEL SECURITY WINDOW SCREEN




WATERPROOF、ANTI-SCRATCH
WOODEN CASE PACKAGE




APPLICATION




APPLICATION



VARIOUS
COLORS



UNPAINTED
ROLL



BLUE RAY ANTI FAKE INSURANCE SERIES STAINLESS STEEL SECURITY WINDOW SCREEN



Basic Introduction:

Using high technology, we paint the invisible anti fake logo on the security window screen, we can see the logo by special Blue Ray lights. This help clients recognized our products, and protect the rights of clients.

Stainless steel security window screen insurance—First stainless steel security window screen with insurance:

Insured by PICC and the Insurance amount is 12 millions RMB . Each square meter is insured by PICC. If quality problem, any clients can ask PICC for payment.

A. Product responsibility Insurance: Any loss caused by the quality problem, PICC will pay for the loss. responsibility range□wire dia:0.7mm or more than 0.7mm.

B. Product quality Insurance: If the nets rust within the insurance period, and we pay 80 RMB for each window.

If you cannot solve the problem, Xusen helps, you preferred products, we produce.

Features :

- A. Reliable and invisible of Blue Ray anti Fake Security window screen:own high-tec anti fake method, realized anti fake and non imitation.
- B. The code is unique: Every anti fake code is unique, the imitation can not use, it is the reputation of the Company.
- C. Easy to verify the fake or truth: the clients can care the Xusen Company wechat, and learn the anti fake procedure.

Main Parameters :

Wire Diameter: 0.4mm, 0.5mm, 0.6mm, 0.7mm, 0.8mm, 0.9mm, 1.0mm

Mesh size: 10mesh ---16mesh,

Material: 304, 316

Weave type: plain weave

Technology: Surface treatment is dephosphorylation, and remove the oil on surface, AkzoNobel powder static electroic spray, 5 years guarantee no fade, no drop.

Color: Black, dark grey, light grey, white, brown, silver grey etc.

Size: Width: 1m-1.6m, length: 2.4m/2.6m for piece, and 31.5m for rolls.

Other size we can also make for you.

Package: the quantity more than 150m2 or 50 pieces, we can pack the goods with wooden box for free.

Color: natural color, black color or as your requirements



SUPER DUSTPROOF STAINLESS STEEL SECURITY SCREEN MESH

Features:


Use high quality titanium magnesium alloy material,never rust,not easy to break off and burst;exquisite weaving process make the mesh more beautiful,fine, and smooth,brightness of color and lustre; super corrosion resistance,excellent insulation of surface treatment,more environmentally friendly, no poison,no dust,easy to clean.

Product advantages:


Wire diameter:0.4mm 0.5mm 0.6mm 0.7mm 0.8mm 0.9mm 1.0mm
Mesh size:10mesh-16mesh
Material: titanium magnesium alloy material
Weave: Plain weave
Color:Black, dark gray, light gray, silver gray, white, coffee, etc.

Main Parameters:



Brought in production technology from European,use unique surface treatment process,this product lifetime is longer than electrostatic powder coating spray products or electroplating process products, and all meet EU environmental standards,with super dust-proof,friction resistance,aging resistance and corrosion resistance features.




NEVER YUST




SUPER CORROSION
RESISTANCE



HIGH COST PERFORMANCE



ANTI-OXIDANT



WHY XUSEN SECURITY SCREEN IS DIFFERENT WITH THE OTHERS ?



1 Use standard wire mesh

International quality security mesh
(Xusen Security Mesh)

Stainless steel wire mesh has characteristics of excellent corrosion resistance, acid and alkali resistance, aging resistance, no magnetic, not easy to rust, ect. ; modest hardness, uniform thickness, round, high gloss.

VS

Non-standard inferior security mesh

Obvious nonuniform of round and flat,hardness uncertain,Easy to lead to defect of security mesh sparse-dense lines and nonuniform mesh hole , unsightly and seriously affecting sales.

3 Exact wire diameter

International quality security mesh
(Xusen Security Mesh)

0.4mm-1.2mm wire diameter all in readiness.to meet the different requirements of different customers,all our wire diameter are point to the wire diameter before coating.

VS

Non-standard inferior security mesh

less mesh size and wire diameter,make the 0.65mm coated to 0.7mm,cost less 3-5RMB/m² than real 0.7mm,their wire diameter maily point to wire diameter after coating.

5 Exact mesh size

International quality security mesh
(Xusen Security Mesh)

0.8mm standard matched 11*11mesh
0.7mm standard matched 12*12mesh
0.6mm/0.5mm standard matched 14*14
No cutting corners,Good anti mosquito

VS

Non-standard inferior security mesh

Serious deviation of mesh size,11*11 mesh make it to 11*10 mesh,14mesh make to 13*13.5mesh....and these can add their profie 3RMB/m²

7 Pre-Treatment

International quality security mesh
(Xusen Security Mesh)

Dephosphorization passivation process of securitymeshsurface,removing surface defects, ensure the glossiness of mesh,enhanced powder adhesion

VS

Non-standard inferior security mesh

Weak powder adhesion, easy to drop powder, staineds, easy to rust.

9 Electrostatic powder coating

International quality security mesh
(Xusen Security Mesh)

Automatic spraying production line,achieved 15 minutes for powder change ,high production efficiency.America Nordson produced spray gun spraying ensure powder coating well-distributed,no hole-blockade.

VS

Non-standard inferior security mesh

Low end spraying equipment, can not improve production efficiency, delivery delay, the powder is not uniform, easy to make hole-blockade.

2 Material test

International quality security mesh
(Xusen Security Mesh)

Stainless steel wire mesh 304 chemical compositioncontentNi≥8%,Cr≥17%,316chemical composition content Ni≥10%,Cr≥17%,and other chemical items all meet standard,every batch of wire is tested by the X-ray Fluorescence Spectrometer to guarantee material.

VS

Non-standard inferior security mesh

Insufficient chemical composition,material can not be guaranteed.The consumer is not easy to identify, sell shoddy products, it is very easy to rust.

4 Weaving

International quality security mesh
(Xusen Security Mesh)

Hundreds of German heavy CNC weaving machine,weaving flatting,mesh hole same and no defect.Daily capacity 8000m²,mesh width:0.5m-2.1m

VS

Non-standard inferior security mesh

Transformed weaving machine,mesh surface planeness and mesh grid uniformity can not be guaranteed.

6 Levelling and cutting

International quality security mesh
(Xusen Security Mesh)

CNC cutting machine, flattening, cut, adjust the mesh,and ensure the deviation of diagonal within in 3mm.,mesh flat and easy to install,save cost.

VS

Non-standard inferior security mesh

Serious deviation of diagonal,uneven surface,consumable serious,install difficult, cumbersome effort,easy to lead to customer complaint ,return goods and rework.

8 Powder

International quality security mesh
(Xusen Security Mesh)

Authentic AkzoNobel environmental protection powder matte spray coating,High-temperature solidifying,warranty five years no fade, no drop powder;powder coated light but strong adhesion, in a variety of colors,color right and no color deviation.

VS

Non-standard inferior security mesh

Ordinary powder,and is granular, not environmentally friendly, easy to fade and drop powder, different batches of the same specifications color different a lot.

10 Hole form

International quality security mesh
(Xusen Security Mesh)

Hole form have round ,square,half square half round three kinds.no appearance of hole nonuniform. Customers are free to choose.

VS

Non-standard inferior security mesh

Only have square form,serious limitations, and round form ask more charge,add cost of customers.

Note:Until now,Hebei Xusen already have 18 years screen mesh production experience . Grow and Developed step by step,highly recognized by the market.Our company has always abide by the principle of good faith,quality production,Never give up the principle of production because of low price;produces are made strictly according to national standard,strict control production line and also constantly bring forth new in original basis.aim at "supply new selling port for purchasers and improve the sales",formed long-term friendly strategic partnerships with purchasers!

FIBERGLASS WINDOW SCREEN

INVISIBLE WINDOW SCREEN

Basic Introduction:

Fiberglass window screen also called invisible window screen,it specially used in retractable screen window (invisible screen window) or casement windows and sliding windows.it mainly used for anti mosquito screen windows and doors.

Main Parameters:

Material: Glass fiber yarn, PVC-coated (65% PVC ,35% Glass Fiber Yarn),Flame retardant ≤5 seconds (ISO)

Weaving and Technique: Wire drawing,plastic coated single fiberglass wire ,plain weaving,high temperature to fix the netting.

Application: Suit for high -grade office buildings ,residential and construction ,livestock farm ,orchard etc .it is the best protection product for the insects and flies .

Mesh size: 17X14mesh,18X14mesh,18X16mesh,19X19mesh,20X20mesh


Width:0.3m-3.2m Length:13m-300m

Color:White,black,Grey,white&Gray (gray warp & white weft), Can be customized blue, green, yellow, brown, etc

Weight:90g-145g

Features:

- 1.High weather resistant ,aging resistance ,moisture resistance,anti-fire,shock resistance ,anit-UV ,high tensile strength ,anti-cold ,heat-resistant,long serving life,good appearance,structure rigorous,etc
- 2.Mesh uniform , Meridian and Parallel line is horizontal vertical ,not leap ,not deformation .
- 3.Extraordinary transmits light ,So it truly realize invisible window screen .
- 4.Non-toxic, non-tasteless ,green Environmental protection . Our fiberglass window screen meet the ISO 14001 international Environment management sysytem ,without the Cl-fluoride,no harm to people .



HOT SALE



ANTI-FIRE



THICKNESS TESTING



VARIOUS COLORS



STAINLESS STEEL WINDOW SCREEN



Basic Introduction:

Stainless steel insect screen is the main product of Heibei Xusen company ,Using good quality of Stainless Steel wire ,taking the advanced CNC machines to do plain weave. It use mesh flatting ,surface cleaning to finish . The mesh flat and mesh hole same .longitude and latitude curvature same ,good transmittance ,anti-mosquito and anti-insect .Good choice for the office and home .

Main Parameters:

Material : 304 304L 316 316L
Width : 0.5-2.3m ,length no limited
Mesh hole : 16-30mesh (inch)

Features:

Stainless Steel Window Insect Screen characteristic:

- A.Rat proof, high tensile strength. Avoid health problems caused by rat into the room .
- B. Mosquitoes and flies resistance.also can prevent the wet places' mosquitoes
- C.Fireproofing, heat-resisting. Most of the buildings have the fireproofing facilities, and stainless steel window screen can meet this requirement instead of the PE window screen.
- D.Ventilation, transmits light, bright and beautiful. Air rate and sunlight illumination coefficient is better than the nylon window screen


Notice: We can provide customers with detecting instrument or chemicals to test our quality.
Any problems of the material will do false a compensate ten! In addition,less 1meter ,compensate 10meters .



PALLET PACKING



STORAGE



CARTON BOX PACKING



DETAIL



OUR ADVANTAGES



High End Brand Positioning

Xusen brand a decade founding ,with the good products and service and the accurate understanding of market trends,establish a good reputation in the industry .

Xusen focus service ,devote ourselves to more high end screen mesh brand for more than decades.



Good Products Quality

Xusen have the sophisticated products R&D center ,use the high quality material and German imports machine ,obey the strict production standard ,each product have the SGS salt spray corrosion test,ROHS powder environmental non-toxic certificate ,ISO9001 etc international authentication,make the products more safe and environmental .



Professional R&D team

Xusen has own professional development team ,It consists with more than 50 years` experience in R&D designing senior engineers and a group of capable& energetic talented person. The accurate understanding of market trends made us research many products which cater for the market requirements



Perfect After Sales Service

Customer-oriented,cooperate with more than hundreds of expert after sale services and the third party logistics ,have the perfect maintain and logistics systems ,5 years guarantee warranty ,low maintenance cost for life ,cater for the clients` multiply requirements ,ensure the customers use with no problem .

STRATEGIC PARTNERS





PREVIOUS EXHIBITIONS

◆ November 2016 in Beijing Exhibition



◆ July 2016 in Guangzhou Exhibition



◆ March 2016 in Guangzhou Exhibition



PREVIOUS EXHIBITIONS

◆ March 2016 in Beijing Exhibition



◆ March 2016 in Shenyang Exhibition




◆ July 2015 in Guangzhou Exhibition



+ PREVIOUS EXHIBITIONS

◆ March 2015 in Guangzhou Exhibition



November 2015 in Shanghai Exhibition



◆ July 2014 in Guangzhou Exhibition



STAFF PRESENCE +

◆ Company Charity Activity



◆ Company Dinner Party



◆ Annual Meeting



STAFF PRESENCE +

◆ Staff Expand Game



◆ Company Staff Travelling



◆ Staff Birthday Party



SENRISE 旭森
— INNOVATION WISDOM TO CREATE THE FUTURE —